of Conformity

Registration No.: AK 60173908 0001

Report No.: 60287795 001

Holder: Vitra Factory GmbH

Charles-Eames-Str. 2 79576 Weil am Rhein

Deutschland

Product: Swivel Chair

Swivel chair "Rookie"



Date: 2024-01-19

The certificate of conformity refers to the above-mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned on the next page. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

K.-H. Heider





of Conformity

Registration No.: AK 60173908 0001

Product: Swivel Chair

Swivel chair "Rookie"

Tested according to: ANSI/BIFMA X6.1-2018

Identification: Type Designation

Back and seat shell of polypropylene, padded with PU-foam covered with fabric or leather. Seat height adjustable with gas-spring. 5-star base made of polyamide with double castors. Counter stool with height-adjustable foot ring in steel, powder-coated or chrome-plated, with load-braked double castors Ø 50mm.





of Conformity

Registration No.: AK 60173907 0001

Report No.: 60286937 001

Holder: Vitra Factory GmbH

Charles-Eames-Str. 2 79576 Weil am Rhein

Deutschland

Product: Swivel Chair

Swivel chair "Rookie"



The certificate of conformity refers to the above-mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned on the next page. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date: 2024-01-19

Certification Body

K.-H. Heider





of Conformity

Registration No.: AK 60173907 0001

Product: Swivel Chair

Swivel chair "Rookie"

Tested according to: ANSI/BIFMA X5.1-2017 (R2022)

Identification: Type Designation

Back and seat shell of polypropylene, padded with PU-foam covered with fabric or leather. Seat height adjustable with gas-spring. 5-star base made of polyamide with double castors. Counter stool with height-adjustable foot ring in steel, powder-coated or chrome-plated, with load-braked double castors Ø 50mm.



